


# KuberBox<sup>®</sup> Ring Size Guide

## Printing settings: KuberBox<sup>®</sup> ring size guide


Before proceeding, use a ruler to ensure the printed sample below is exactly 40mm. In order to do this go to your 'print settings' before printing and ensure that the 'page scaling' options are not set to scale or shrink. Please note that ring size measurement will not be accurate if this step is not completed properly.



## How to use the KuberBox<sup>®</sup> ring size guide


### Instructions

1. Print the ring size guide and check scale (see above)
2. Place a pre-owned ring on the closest matching sized circle on the Ring Size Chart on page 2. The inner edge of the ring should be perfectly aligned with the outer edge of the circle. This will be your ring size.
3. If the ring falls between two sizes, order the larger size.
4. If needed compare your result to the International Conversion Chart on page 3.



Please note that different countries use different sizes, so please compare and convert your ring size using the International Ring Size Conversion Chart on page 3.

# Ring Size Chart - Indian Sizes



# International Ring Size Conversion Chart

Diameter (mm)	India	Europe	UK, Australia & South Africa	United States & Canada	China	Singapore & Japan	Hong Kong
14.01	4	44	F½	3	6	4	6
14.33	5	45	G			5	
14.5			G½	3½	7		7.5
14.65	6	46	H			6	
14.97	7	47	H½	4	8	7	9
15.1			I		9		
15.29	8	48	I½	4½		8	10
15.5			J				
15.61	9	49	J½	5	10	9	11
15.92	10	50	K				
16.1			K½	5½	11	10	12
16.24	11	51	L				
16.56	12	52	L½	6	12	11	13
16.7			M		13	12	
16.88	13	53	M½	6½		13	14.5
17.1			N		14		
17.2	14	54	N½	7		14	16
17.52	15	55	O		15		
17.7			O½	7½		15	17
17.83	16	56	P		16		
18.15	17	57	P½	8	17	16	
18.2							18
18.3			Q				
18.47	18	58	Q½	8½	18	17	19
18.79	19	59	R				
19.0			R½	9	19	18	20.5
19.11	20	60	S		20		
19.43	21	61	S½	9½		19	22
19.6			T		21		
19.75	22	62	T½	10		20	23
20.0	23		U		22	21	
20.06	24	63	U½	10½		22	24
20.38		64	V		23		
20.6	25		V½	11		23	25
20.70		65	W		24		
21.02	26	66	W½	11½	25	24	26
21.2			X				
21.34	27	67	X½	12	26	25	27.75
21.6	28		Y				
21.66		68	Z	12½		26	
21.97	29	69	Z½				
22.29	30	70		13		27	30
22.4			Z+1				
22.61	31	71	Z+2	13½			
22.9	32						
23.2	33						
23.5	34						
23.9	35						
24.2	36						

## Useful tips

Before selecting the size of the ring you wish to purchase, it's important to consider various environmental and physical factors. However, keep in mind that when estimating your partner's ring size, err on the larger side. It's simpler to resize a ring smaller than it is to enlarge it later.

For more tips on finding the right ring size of your partner, [refer here](https://www.kuberbox.com/blog/3-ways-to-find-ring-size-secretly-wife/)

## Average ring sizes

Remember, the typical ring sizes for women in India fall within the range of 10 to 14, whereas for men, it's typically between 18 and 22. If you're uncertain and lack specific information, it's advisable to select a size within these ranges.

## Time of day

Optimal timing for measuring their finger size is in the evening. Generally, fingers are largest during this time and smaller in the morning. By measuring your partner's finger size in the evening, you ensure a comfortable fit.

## Optimal temperature

Fingers are sensitive to temperature variations, often changing size accordingly. Cold weather can cause fingers to shrink, whereas warmth and humidity tend to expand them. It's advisable to avoid measuring finger size outdoors in extreme cold or heat to ensure accurate measurements.

## Fingers expand and contract

Various factors can influence changes in finger size. Exercise, water retention, pregnancy, aging, and arthritis can all lead to finger enlargement. Conversely, weight loss and exposure to low temperatures can cause fingers to decrease in size.

## Thicker bands

Thicker ring bands, particularly those larger than 5mm, tend to fit tighter on the finger. It's recommended to opt for a half size larger when purchasing a thicker band to ensure the ring is comfortable to wear.

The details provided here are for guidance only and should not be construed to be anything else. You should decide the ring size yourself and KuberBox cannot be held responsible for any errors or losses arising based on interpretation of this guide

# Measuring The Ring Size at Home

## Using Basic Stationary

### Materials Needed:

1. A strip of paper (about 1/2 inch wide and 4-5 inches long)
2. Scissors
3. Pen or pencil
4. Ruler or measuring tape

Use a ruler or measuring tape to measure the length of the paper strip from the end to the marked spot.

Ensure that the measurement is accurate.

### Steps:

1. Prepare the Strip of Paper:

Cut a strip of paper about 1/2 inch wide and 4-5 inches long. Make sure the strip is straight and flat.

2. Wrap the Paper Around the Finger:

Wrap the paper strip snugly around the base of the finger you want to measure.

Make sure the paper is snug but not too tight. It should be comfortable and able to slide over the knuckle.

3. Mark the Spot:

Use a pen or pencil to mark where the end of the paper strip overlaps.

4. Measure the Length:

Carefully remove the paper strip from your finger.

5. Determine Ring Size:

Use the chart on the next page to determine your ring size based on the measured length of the paper strip: this measured length is called **“inside circumference of the ring”**

6. Choose The Correct Size:

Based on the measured length and the corresponding ring sizes, select the size that best matches the measurement.

If the measurement falls between two sizes, it's generally recommended to choose the larger size for a comfortable fit.

7. Repeat for Accuracy:

For accuracy, you may want to repeat the process a few times and take the average of the measurements.

8. Verify Fit (Optional):

If possible, try on rings in the determined size to verify the fit and comfort before making a purchase.

# Size Chart Using Inside Circumference

Inside diameter		Inside circumference		Sizes				
(in) ↕	(mm) ↕	(in) ↕	(mm) ISO ISO (Continental Europe) ↕	United States, Canada and Mexico ↕	United Kingdom, Ireland, Australia, South Africa and New Zealand ↕	East Asia (China, Japan, South Korea), South America ↕	India ↕	Italy, Spain, Netherlands, Switzerland ↕
0.458	11.63	1.44	36.5	0				
0.466	11.84	1.46	37.2	1/4				
0.474	12.04	1.49	37.8	1/2	A			
0.482	12.24	1.51	38.5	3/4	A1/2			
0.49	12.45	1.54	39.1	1	B	1		
0.498	12.65	1.56	39.7	1 1/4	B1/2			
0.506	12.85	1.59	40.4	1 1/2	C			0.4
0.514	13.06	1.61	41.0	1 3/4	C1/2		1	1
0.522	13.26	1.64	41.7	2	D	2	2	1.7
0.53	13.46	1.67	42.3	2 1/4	D1/2			2.3
0.538	13.67	1.69	42.9	2 1/2	E	3	3	2.9
0.546	13.87	1.72	43.6	2 3/4	E1/2		4	3.6
0.554	14.07	1.74	44.2	3	F	4		4.2
0.562	14.27	1.77	44.8	3 1/4	F1/2	5	5	4.8
0.57	14.48	1.79	45.5	3 1/2	G			5.5
0.578	14.68	1.82	46.1	3 3/4	G1/2	6	6	6.1
0.586	14.88	1.84	46.8	4	H	7		6.8
0.594	15.09	1.87	47.4	4 1/4	H1/2		7	7.4
0.602	15.29	1.89	48.0	4 1/2	I	8	8	8
0.61	15.49	1.92	48.7	4 3/4	J		9	8.7
0.618	15.70	1.94	49.3	5	J1/2	9		9.3
0.626	15.90	1.97	50.0	5 1/4	K		10	10
0.634	16.10	1.99	50.6	5 1/2	K1/2	10		10.6
0.642	16.31	2.02	51.2	5 3/4	L		11	11.2
0.65	16.51	2.04	51.9	6	L1/2	11	12	11.9
0.658	16.71	2.07	52.5	6 1/4	M	12		12.5
0.666	16.92	2.09	53.1	6 1/2	M1/2	13	13	13.1
0.674	17.12	2.12	53.8	6 3/4	N			13.8
0.682	17.32	2.14	54.4	7	N1/2	14	14	14.4
0.69	17.53	2.17	55.1	7 1/4	O		15	15.1
0.698	17.73	2.19	55.7	7 1/2	O1/2	15		15.7
0.706	17.93	2.22	56.3	7 3/4	P		16	16.3
0.714	18.14	2.24	57.0	8	P1/2	16	17	17
0.722	18.34	2.27	57.6	8 1/4	P3/4			17.6
0.73	18.54	2.29	58.3	8 1/2	Q1/4	17	18	18.3
0.738	18.75	2.32	58.9	8 3/4	R		19	18.9
0.746	18.95	2.34	59.5	9	R1/2	18		19.5
0.754	19.15	2.37	60.2	9 1/4	S		20	20.2
0.762	19.35	2.39	60.8	9 1/2	S1/2	19	21	20.8
0.77	19.56	2.42	61.4	9 3/4	T			21.4
0.778	19.76	2.44	62.1	10	T1/2	20	22	22.1
0.786	19.96	2.47	62.7	10 1/4	U	21	23	22.7
0.794	20.17	2.49	63.4	10 1/2	U1/2	22		23.4
0.802	20.37	2.52	64.0	10 3/4	V		24	24
0.81	20.57	2.54	64.6	11	V1/2	23	25	24.6
0.818	20.78	2.57	65.3	11 1/4	W			25.3
0.826	20.98	2.59	65.9	11 1/2	W1/2	24	26	25.9
0.834	21.18	2.62	66.6	11 3/4	X			26.6
0.842	21.39	2.65	67.2	12	X1/2	25	27	27.2
0.85	21.59	2.67	67.8	12 1/4	Y		28	27.8
0.858	21.79	2.70	68.5	12 1/2	Y1/2	26		28.5
0.866	22.00	2.72	69.1	12 3/4	Z		29	29.1
0.874	22.20	2.75	69.7	13	Z1/2	27	30	29.7
0.882	22.40	2.77	70.4	13 1/4	Z1			30.4
0.89	22.61	2.80	71.0	13 1/2			31	31
0.898	22.81	2.82	71.7	13 3/4	Z2		32	31.7
0.906	23.01	2.85	72.3	14	Z3			32.3
0.914	23.22	2.87	72.9	14 1/4			33	32.9
0.922	23.42	2.90	73.6	14 1/2	Z4			33.6
0.93	23.62	2.92	74.2	14 3/4			34	34.2
0.938	23.83	2.95	74.8	15			35	34.8
0.946	24.03	2.97	75.5	15 1/4				35.5
0.954	24.23	3.00	76.1	15 1/2			36	36.1
0.962	24.43	3.02	76.8	15 3/4				36.8
0.97	24.64	3.05	77.4	16			37	37.4